

EC-TYPE EXAMINATION CERTIFICATE (MODULE B)

Certificate No:
MEDB00000FD
Revision No:
1

Application of: Council Directive 96/98/EC of 20 December 1996 on Marine Equipment as amended by directive (EU) 2015/559, issued as "Forskrift om Skipsutstyr" by the Norwegian Maritime Directorate. This Certificate is issued by DNV GL AS under the authority of the Government of the Kingdom of Norway.

This is to certify:

That the Radar equipment for high speed craft applications, CAT 2H

with type designation(s)
FAR-1518(-BB)/FAR-1528(-BB) HSC

Issued to

Furuno Electric Co., Ltd.
Nishinomiya Hyogo Pref, Japan

is found to comply with the requirements in the following Regulations/Standards:


Annex A.1, item No. A.1/4.37 and Annex B, Module B in the Directive; SOLAS 74 as amended, Regulation X/3, IMO Res A.278(VIII), A.694(17) & A.820(19), IMO Res MSC. 191(79) & 192(79), ITU-R M.1177-4 (04/11) and 2000 HSC Code 13

Further details of the equipment and conditions for certification are given overleaf.

This Certificate is valid until **2021-07-12**.

Issued at **Høvik** on **2016-07-13**

DNV GL local station:
Kobe



for **DNV GL AS**

Approval Engineer:
Olaf Gundersrud

Notified Body
No.: **0575**

Vidar Dolonen
Head of Notified Body



The mark of conformity may only be affixed to the above type approved equipment and a Manufacturer's Declaration of Conformity issued when the production-surveillance module (D, E or F) of Annex B of the MED is fully complied with and controlled by a written inspection agreement with a Notified Body. The product liability rests with the manufacturer or his representative in accordance with Council Directive 96/98/EC, as amended.

This certificate is valid for equipment, which is conform to the approved type. The manufacturer shall inform DNV GL AS of any changes to the approved equipment.

Should the specified regulations or standards be amended during the validity of this certificate, the product is to be re-approved before being placed on board a vessel to which the amended regulations or standards apply.

Job Id: **344.1-004741-4**
Certificate No: **MEDB00000FD**
Revision No: **1**

Product description

The Radar FAR-1518/1518-BB, FAR-1528/1528-BB consist of the following units:

Unit	Location
Main processing unit	Protected
Display unit	Protected
Operation Panel /control unit(s)	Protected
Antenna unit	Exposed

For details, see Appendix.

Application/Limitation

- The FAR-radar shall be installed and tested onboard in accordance with the Installation Manual IME-36380-Z10 (or later version)

Type Examination documentation

- See Appendix.

Tests carried out

- IEC62388(2013)
- IEC61162-1(2010)
- IEC61162-2(1998)
- IEC62288(2014)
- IEC60945(2002) as amended

Marking of product

The manufacturer and Type Designation to be applied to the equipment in a clearly visible location and in addition the equipment shall be marked with serial number, safe distance to magnetic compass, power consumption and/or supply voltage.

Mark of Conformity

The manufacturer is allowed to affix the Mark of Conformity according to Article 11 in the Council Directive 96/98/EC on Marine Equipment and shall issue a Declaration of Conformity, only when the module D or E or F of Annex B in the same directive is fully complied with.

Module D: The quality system for production and testing shall be approved by the Notified Body.

Module E: The quality system for inspection and testing shall be approved by the Notified Body.

Module F: Compliance of the products to type as described in this EC Type-Examination Certificate must be verified by the Notified Body who also shall issue a Certificate of Conformity.

Job Id: **344.1-004741-4**
 Certificate No: **MEDB00000FD**
 Revision No: **1**

APPENDIX

Product description:

The Radar FAR-1518/FAR-1518-BB/FAR-1528/FAR-1528-BB comprises combinations of the following units:

Unit	Model Name	Components	Remark
Processing Unit	RPU-024		
Data Interfaces	(embedded)	2 ports	IEC61162-2/IEC61162-1
	(embedded)	4 ports	IEC61162-1
	RGB output	1 port	To VDR
Display Unit (VDU)	MU-190 or JH 19T14 FUD-AA1-AOAA or JH 19T14 FUD-MA1-AOAA or JH 19T14 FUD-AA1-AAAA or JH 19T14 MMD-MA1-AABA or JH 20T17 FUD-AA1-AOAA or JH 20T17 FUD-DA1-AOAA		DVI connection
Control unit Trackball control unit	RCU-028 RCU-030 ¹⁾		¹⁾ Option
Antenna unit (25 kW)	XN20AF-RSB-121-101 XN24AF-RSB-121-101	(Scanner/Gear/- Transceiver)	
Performance monitor	PM-32A		
Switching HUB	HUB-100		Option
Software versions	Antenna unit	0359296-01.x(PM)	
	Processor unit	0359344-01.xx(SPU)	
	Control unit	0359348-01.xx(KEY)	
	Display unit	1.xx	

Type Examination documentation:

DNV No.	Document No.	Rev.	Document Title
57	DELTA-L102798-4752/3		Test of flicker from 19,20 inch monitor for use as ECDIS monitor
56	OC102232-1	1	Appendix IEC62288 JH 19T14 HW068
53	DOC102116-2		IEC62288: JH 20T17 MMD-AA1-AABA-HW06
52	DOC102116-3		IEC62288: JH 19T14 MMD-MA1-SABA-HW09
51	DOC101909-1	3	Hatteland Displays: KeyPad P004511-1: minimum brightness measurement
50	DNV 2008-3511	2	IEC60945: JH 20T17 MMD-AA1-AABA
49	DNV 2013-3038		IEC60945: JH 19T14 MMD-MA1-AAAA
48	DNV 2008-3528		IEC60945: JH 19T14 MMD-AA1-AOAA
47	DNV 2009-3442	2	IEC60945: JH 19T14 MMC-AA1-AABR
43	K03-17-1877		FCR-3xx0; DNV type approval testing report for Pending items
42	K03-17-1538		FAR-2xx9: DNV type approval testing report for Pending items

Job Id: **344.1-004741-4**
Certificate No: **MEDB00000FD**
Revision No: **1**

APPENDIX

Type Examination documentation (cont.):

DNV No.	Document No.	Rev.	Document Title
41	FLI 12-10-039	3	Test report(IEC62288 and IEC62388) MU-190
40	FLI-12-10-068	1	Test report(IEC60945) Monitor unit MU-190
31	K03-17-2100	1	IEC62388; - Result of TT and Association Scenario test
30	FLI12-15-044	1	IEC62288 ed.2.0 test of MU-150HD
29	BSH/6522/1114-8/2004		Conformance test of FAR-2xx7 RADAR series
27	K03-17-2263		FAR-15x8 Radar Antenna Pattern Data
25	3 August 2015		Test report IMO RADAR; STCW FAR-15x8 function test report.
24	K03-17-2162		Performance in sea and rain clutter
23	K03-17-2130		Software correction report
22	MLG-36380-Z7		Operator's guide
21	IME-36380-Z10		Installation manual
20	OME-36380-Z12		Operator's manual
19	Applica 20587	0	Performance testing of two radar systems
18	BSH.4543.4342577.13-1	1.0	Test report FURUNO FAR-2xx7 (IEC 62388 Ed.2)
17	K03-17-2129		Detection performance of a navigation buoy
15	K03-17-2099	1.02	Radar TA Test procedure
11	FLI12-15-042		Electromagnetic radiofrequency radiation test report
10	FLI12-15-027		Test report IEC61162-1/-2
9	FLI12-15-026		Test report IEC60945
8	FLI12-15-025		EMC test report
7	FLI12-15-024		Compass Safe Distance
4	QinetiQ/15/00826	V1.1	Unwanted emission measurements of Furuno radar systems FUR(X)207, FUR(X)208, FUR(X)209