

EC-TYPE EXAMINATION CERTIFICATE (MODULE B)

Certificate No: MEDB00001BE Revision No: 1

Application of: Directive 2014/90/EU of 23 July 2014 on marine equipment (MED), issued as "Forskrift om Skipsutstyr" by the Norwegian Maritime Authority. This Certificate is issued by DNV GL AS under the authority of the Government of the Kingdom of Norway.

This is to certify:

That the Radar equipment for high speed craft applications (CAT 1HC)

with type designation(s)

FAR-3210, FAR-3220, FAR-3230S, FAR-3310, FAR-3320, FAR-3320W, FAR-3330S, FAR-3330SW, FAR-3230S-SSD, FAR-3330S-SSD, FAR-3210-BB, FAR-3220-BB, FAR-3230S-BB, FAR-3230S-SSD-BB, FAR-3220W-BB, FAR-3230SW-BB

Issued to

Furuno Electric Co., Ltd. Nishinomiya Hyogo Pref., Japan

is found to comply with the requirements in the following Regulations/Standards: Regulation (EU) 2017/306,

item No. MED/4.38c. SOLAS 74 as amended, Regulation X/3, IMO Res. A.278(VIII), IMO Res. A.694(17), IMO Res. MSC.36(63), IMO Res. MSC.97(73), IMO Res. MSC.191(79), IMO Res. MSC.192(79), IMO Res. MSC.302(87), IMO MSC.1/Circ.1349, ITU-R M.1177-4 (04/11)

Further details of the equipment and conditions for certification are given overleaf.

This Certificate is valid until 2021-06-29.

Issued at Høvik on 2017-07-06

DNV GL local station:

Kobe

Approval Engineer:

Frederik Tore Elter

Notified Body No.: **0575**

for **DNV GL AS**

Vidar Dolonen **Head of Notified Body**



The mark of conformity may only be affixed to the above type approved equipment and a Manufacturer's Declaration of Conformity issued when the production-surveillance module (D, E or F) of Annex B of the MED is fully complied with and controlled by a written inspection agreement with a Notified Body. The product liability rests with the manufacturer or his representative in accordance with Directive 2014/90/EU.

This certificate is valid for equipment, which is conform to the approved type. The manufacturer shall inform DNV GL AS of any changes to the approved equipment. This certificate remains valid unless suspended, withdrawn, recalled or cancelled. Should the specified regulations or standards be amended during the validity of this certificate, the product is to be re-approved before being placed on board a vessel to which the amended regulations or standards apply.



Form code: MED 201.NOR Revision: 2017-02 www.dnvgl.com Page 1 of 5

Revision No: 1

Product description

The Radar FAR-3210, FAR-3220, FAR-3230S, FAR-3310, FAR-3320, FAR-3320W, FAR-3330S, FAR-3330SW, FAR-3230S-SSD, FAR-3330S-SSD, FAR-3210-BB, FAR-3220-BB, FAR-3230S-BB, FAR-3230S-BB, FAR-3230SW-BB consist of the following units:

Unit	Location
Processor unit	Protected
Monitor (display) unit	Protected
Control unit (operation panel)	Protected
Data interface	Protected
Up-mast transceiver unit -	Exposed
or down-mast transceiver unit	Protected
Scanner power supply unit	Protected
Antenna unit	Exposed

For details, see Appendix.

For latest revision of the Appendix, see http://exchange.dnv.com/tari

Application/Limitation

- The FAR-3xx0 chart radar is found to be in compliance with RADAR for high speed crafts; CAT 1H, CAT 1HC, CAT 2H, CAT 2HC with reference to the Directive annex A1; A.1/4.37, 4.38 and IMO resolution MSC.97(73) (2000 HSC Code).
- The FAR-3xx0 chart radar is found to be in compliance with the standards for ECDIS Back-up; IMO resolution MSC.232(82) Appendix 6 and IEC61174 Annex F.
- The FAR-radars with type designation 3xx0nn-BB shall be interconnected with one of the monitor units identified in the appendix.
- The DVI interface shall be used for video signal transfer between Processor unit and Monitor unit.
- The FAR-radar shall be installed and tested onboard in accordance with the pertinent Installation Manual (ref. appendix)

Type Examination documentation

See Appendix.

Tests carried out

- IEC62388(2013)
- IEC61162-1(2010)
- IEC61162-2(1998)
- IEC61162-450(2011)
- IEC62288(2014)
- IEC60945(2002)

Marking of product

The manufacturer and Type Designation to be applied to the equipment in a clearly visible location and in addition the equipment shall be marked with serial number, safe distance to magnetic compass, power consumption and/or supply voltage.

Form code: MED 201.NOR Revision: 2017-02 www.dnvgl.com Page 2 of 5

Revision No: 1

APPENDIX

Product description:

The Chart Radar FAR-3210, FAR-3220, FAR-3230S, FAR-3310, FAR-3320, FAR-3320W, FAR-3330S, FAR-3330SW, FAR-3230S-SSD, FAR-3330S-SSD, FAR-3220BB, FAR-3230S-BB, FAR-3250B, F

Unit	Model Name	Components	Remark
Processor Unit	EC-3000	Mother board: ADP-555-02 Graphical unit: ATI Radeon E4690	For Chart Radar the graphical unit and the monitor shall be of calibrated type
Data Interfaces (embedded)	Connector J3 & J4	TTYCS(LA)-4	IEC61162-2/IEC61162-1
	Connector J5 – J10	TTYCS(LA)-1Q	IEC61162-1
	Ethernet 1000Base-T	2 ports	LAN
Monitor Unit (VDU)	MU-190 ¹⁾ or MU-231 or MU-201CE ¹⁾ or MU-231CE or MU-270W or JH19T14FUD ¹⁾ or JH20T17FUD ¹⁾ or JH23T12FUD or JH23T14FUD or HD26T21MMD-MA4-FAI WA460-01-MON-01-XX	¹⁾ CAT 2 monitor	
Radar control unit	RCU-025		
X-band transceiver unit	RTR-105 (12 kW upma RTR-106 (25kW upmas RTR-108 (25kW downn	FAR-3x10 FAR-3x20 FAR-3320W	
S-band transceiver unit	RTR-107 (30kW upmast) or RTR-109 (30kW downmast) or RTR-111 (250W upmast (solid state))		FAR-3x30S FAR-3330SW FAR-3x30S-SSD
Scanner	XN12CF or XN20CF or XN24CF	4 ft 6.5 ft 8 ft	X-band
	SN36CF	12 ft	S-band
Gear box (42 rpm)	RSB-128 or RSB-130	X-band upmast X-band downmast	FAR-3x10/3x20 FAR-3320W
	RSB-129 or RSB-131 or RSB-133	S-band upmast S-band downmast S-band upmast (solid state)	FAR-3x30S FAR-3330SW FAR-3x30S-SSD
Antenna power supply units	PSU-014 ¹⁾ or PSU-015 ²⁾ or PSU-018 ³⁾	X/S-Band S-Band S-Band	¹⁾ X-42rpm ²⁾ S- 42 rpm ³⁾ solid state 42 rpm

Form code: MED 201.NOR Revision: 2017-02 www.dnvgl.com Page 3 of 5

Revision No: 1

APPENDIX

Product description cont.:

Troduct description contin				
Unit	Model Name	Components	Remark	
Performance monitors	PM-32A or	X-band		
	PM-52A or	S-band	magnetron	
	PM-52B	S-band	solid state	
Software	0359266-xx.xx	EC-3000		
	0359286-xx.xx	Transceiver	solid state	
	0359281-xx.xx	Transceiver	Magnetron	

Optional units

ECDIS control unit Trackball control unit	RCU-024 RCU-026		
Sensor Adapter (interface unit)	MC-3000S	Serial Serial to network	IEC61162-450
Sensor Adapter (interface unit)	MC-3010A	analog	
Sensor Adapter (interface unit)	MC-3020D	digital IN	
Sensor Adapter (interface unit)	MC-3030D	digital OUT	
LAN switch/switching HUB	HUB-100		
LAN switch/intelligent HUB	HUB-3000		
Junction Box	RJB-001		
LAN signal converter	HMC-200CE-A		

Type Examination documentation:

DNV GL	Document No.	Rev.	Document Title
No.	Document No.	itev.	Document Title
69	TAA00000S1		Certificate: Wave series monitors
66	OMC-44930-Z4		Operator's manual for the MU-270W monitor
65	LIC12-15-059		Test report IEC61162-450 for Sensor Adapters: MC-3000
64	LIC12-16-		Labotech test reports: IEC60945 and IEC62288 for
04	009/010/011/012		monitor unit: MU-270W
62	LIC12-15-058		Labotech test report: IEC61162-450 for processor unit for
			Marine Radar type EC-3000
61	K03-17-2051		DNV type approval testing report: IEC61162-450
60	IME-36160-C2		Installation manual; Chart RADAR FAR-3xx0 series
59	OME-36160-C		Operator's manual; Chart RADAR FAR-3xx0 series
58	K03-17-2231		DNVGL type approval testing report: Marine Radar FAR-
	R05 17 2251		3000 series
57	K03-17-1877		DNV type approval testing Report
56	K03-17-1554		FCR-2xxx Chart radar: Type approval testing report
55	K03-17-1538		FCR-2xxx Chart radar: DNV Type approval testing report
54	K03-17-1424		FCR-2xxx Chart radar: DNV Type approval testing report
53	Applica technical		Performance testing of Radar FAR-3000 series
	report 20128		
52	K03-17-1888		FAR-3210 Performance in sea and rain clutter

Form code: MED 201.NOR Revision: 2017-02 www.dnvgl.com Page 4 of 5

Revision No: 1

APPENDIX

Type Examination documentation(cont.):

Type E	Type Examination documentation(cont.):				
DNV					
GL	Document No.	Rev.	Document Title		
No.					
51	K03-17-1894		Performance in sea clutter		
50	K03-17-1899		Performance in sea and rain clutter		
43	FLI 12-13-081		IEC60945 test report -FAR-3330SW		
42	FLI 12-13-080		IEC60945 EMC test report -FAR-3330SW		
41	FLI 12-13-079		IEC60945 test report -FAR-3320W		
40	FLI 12-13-078		IEC60945 EMC test report -FAR-3320W		
39	FLI 12-13-077		IEC60945 test report -FAR-3230S-SSD/-3330S-SSD		
38	FLI 12-13-076		IEC60945 EMC test report -FAR-3230S-SSD/-3330S-SSD		
37	FLI 12-13-075		IEC60945 test report -FAR-3210/-3310/-3220/-3320		
36	FLI 12-13-075		IEC60945 EMC test report -FAR-3210/-3310/-3220/-3320		
35	FLI 12-13-073		IEC60945 test report -FAR-3230S-SSD/-3330S-SSD		
34	FLI 12-13-073		IEC60945 EMC test report - FAR-3230S/-3330S		
33	QINETIQ/MS/MAR/CR130		Unwanted emission measurements - FAR-3xxx-series		
33	3326/V1.2		offwarted emission measurements - FAR-3xxx-series		
32	K03-17-1869		Antenna radiation pattern for FAR-3xxx series		
29	FLI 12-13-064		IEC60945 EMC test report - FAR-3230S-SSD/-3330S-SSD		
28	FLI 12-13-063		IEC60945 EMC test report - FAR-3230S/-3330S		
27	FLI 12-13-062		IEC60945 EMC test report - FAR-3210/-3310/-3220/-		
			3320		
26	FLI 12-13-059		IEC60945 & 62388 test report - FAR-3230S-SSD/-3330S-		
			SSD		
25	FLI 12-13-058		IEC60945 & 62388 test report - FAR-3210/-3310/-3220/-		
			3320		
24	FLI 12-13-057		IEC60945 & 62388 test report - FAR-3230S/-3330S		
23	FLI 12-12-025		IEC60945 test report - FMD-3000 series ECDIS		
22	FLI 12-11-112		IEC61162-1 test report - FMD-3000 series ECDIS		
21	FLI 12-11-111		IEC60945 test report - ECDIS FMD-3000 series		
20	FLI 12-10-068		IEC60945 test report - monitor units		
19	FLI 12-03-058		IEC60945 test report		
18	OMC-44690-Z		Monitor MU-231 Operator's manual		
15	OSE-36160-Z		Operator's guide: CHART RADAR		
14	OMC-44670-Z		Monitor MU-190: Operator's manual		
13	K03-17-1815		DNV type approval testing report: IEC62388		
11	K03-17-1814		TT and Association scenario test Marine Radar		
10	IME-36240		Installation Manual Chart RADAR- FAR-3230W/-3330SW		
9	IME-36190-Z6		Installation manual FAR-3220S-SSD(-BB))/FAR-3330S-		
			SSD		
8	IME-36180		Installation Manual Chart RADAR- FAR-3230S(-BB)/-3330S		
6	E32-01305-Z		Instruction manual FAR-3210/-3220/-3310/-3320/-		
	LJZ-01303-Z		3230S/-3330S/-3320W/-3330SW/-3230S-SSD/-3330S-		
			SSD/-3210-BB/-3220-BB/-3230S-BB/-3230S-SSD-BB/-		
			3220W-BB/-3230SW-BB		
5	K03-17-1758		Wind Tunnel test report - RSB-128 &		
	105 17 1750		XN12CF/XN20CF/XN24CF		
4	K03-17-1759		Wind Tunnel test report - RSB-129 & SN36CF		
		1	1 11 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		

Form code: MED 201.NOR Revision: 2017-02 www.dnvgl.com Page 5 of 5